



## MDTA Series




|               | ( $\mu\text{H}$ ) |            | (A)  |      |      | (m $\Omega$ ) |
|---------------|-------------------|------------|------|------|------|---------------|
| MDTA4030-R47M | 0.47              | $\pm 20\%$ | 17.0 | 10.0 | 14.0 | 7.26          |
| MDTA4030-R90M | 0.90              | $\pm 20\%$ | 10.0 | 8.2  | 11.2 | 10.1          |
| MDTA4030-1R0M | 1.00              | $\pm 20\%$ | 9.80 | 8.0  | 11.0 | 10.1          |
| MDTA4030-1R2M | 1.20              | $\pm 20\%$ | 9.20 | 7.8  | 9.80 | 11.5          |
| MDTA4030-1R5M | 1.50              | $\pm 20\%$ | 8.00 | 7.0  | 9.00 | 13.2          |
| MDTA4030-2R2M | 2.20              | $\pm 20\%$ | 7.00 | 6.0  | 7.80 | 22.6          |
| MDTA4030-3R3M | 3.30              | $\pm 20\%$ | 6.20 | 5.0  | 6.60 | 28.6          |







:

MDTA4030 4.5 ± 0.1 4.5 ± 0.1 1.5 ± 0.1 4.0 ± 0.1 8.0 ± 0.1 12.0 ± 0.3 3.3 ± 0.1 1.75 ± 0.1




The peel force of top cover tape shall be between 0.1 to 1.3 N


|         |                      |
|---------|----------------------|
| Marking | Printing Inductance) |
|---------|----------------------|



2000 Pcs/Reel



3 Reel /Inner box( 6000 Pcs)



3 Inner box/Carton box(18K Pcs)

- 
- 
- 
- 
- 
- 
- 
- 
-